

# TRACTOR SERIES

BUILT TO CARRY THE LOAD AROUND YOUR FARM OR PROPERTY





**BUILT BAD BOY TOUGH: COMFORT • POWER •**

## **WE'RE BREAKING NEW GROUND ON FARMS, RANCHES AND WORKSITES WITH OUR LINE OF WORKHORSE TRACTORS.**

Built on the same legendary Bad Boy strength, our sub-compact and compact line of tractors delivers on our history of combining power, performance and build quality while delivering the highest value in their class. Coupled with an extensive line of heavy-duty, Made-in-America Bad Boy Implements, we're breaking new ground by packing more features and performance in a more durable and versatile tractor.



**STRENGTH • PERFORMANCE • VALUE • QUALITY**

## **WE BUILD MORE IN, FRONT TO BACK**



### **WE WORK GREAT AND LOOK BETTER**

We worked harder to not only make a better tractor, but a better looking tractor, too—and it shows.




### **PERFECT FOR CONTROL FREAKS**

From dashboards to PTO engagement, our Bad Boy Tractors put all the power and performance right at your fingertips.



### **QUICK-RELEASE BUCKETS**

Leave the bucket or change out attachments to the front loader quickly and easily with our convenient latches.



### **YOU'RE IN THE DRIVER'S SEAT**

Every Bad Boy, from your lawn to your farm features legendary comfort and quality, right at the driver's seat.

### **WE COME LOADED, RIGHT UP FRONT**

Every Bad Boy Tractor comes standard with a front-end loader featuring class-leading lifting capacity.



**MODEL 4035CH** (CAB MODEL)

**MODEL 4035H** (NO CAB MODEL)



35HP

# A MID-SIZED TRACTOR WITH OVER-SIZED PERFORMANCE.



The largest tractor in the stable is the 35hp 4035 Series thoroughbred available with or without a fully climate-controlled, all-weather cab. With our Hydro Max transmission, you no longer have to pre-set an engine throttle position. The engine RPM automatically increases or decreases as you move the forward/reverse foot pedals. Hydro Max is quiet, smooth, easy and eco-smart. The tractor is easy to maintain, with easy access to all serviceable parts and the eco-friendly "A" Series diesel engine sips fuel while providing maximum performance in speed, power and lifting.



SPECIFICATIONS	4035H / 4035CH
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Disc
<b>ENGINE</b>	
Type	3 Cylinder, Water-Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Naturally
HP	35
Fuel Capacity	7.13 gal
<b>TIRES</b>	
Front Tread	28x8.5-15
Rear Tread	43x16-20
<b>DIMENSIONS</b>	
Overall Length	134.88 in
Height with ROPS	104.06 in
Ground Clearance	13.19 in
Rollover Protection Standard	ROPS
Weight	3164 lbs./ 3551 lbs.
<b>TRANSMISSION</b>	
Type	Hydro Max
Gear Shifting (F&R)	HST/ 3 Range
Travel Speed (F&R)	14.8 mph
<b>PTO</b>	
Type	Independent
Speed	540 RPM
3-Point Hitch	Category 1
Lift Capacity	3-Point Lifting Capacity At 24" (1100 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 2200 lbs
	Lift Height: 104"



**MODEL 4025H**



# THIS TRACTOR IS A COMPACT WORKHORSE IN NAME ONLY.

With its powerful 25hp, high-performance diesel engine, the only compact quality of the 4025H is its price. Its frame is the biggest in this class and with more ground clearance, it can handle chores usually reserved for much larger tractors. The 4025H also sports a very high lift capacity for a 25hp diesel, making it the perfect companion for a whole range of three-point hitch implements and demanding front-loader projects. The three-range hydrostatic transmission gives you more range of performance and the all-steel hood, fender and frame construction are all hallmarks of the legendary Bad Boy manufacturing legacy.



SPECIFICATIONS	4025H
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Multi Disc
<b>ENGINE</b>	
Type	3 Cylinder, Water-Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Naturally
HP	25
Fuel Capacity	7.13 gal
<b>TIRES</b>	
Front Tread	25x8.5-14
Rear Tread	15-19.5
<b>DIMENSIONS</b>	
Overall Length	134.88 in
Height with ROPS	104.06 in
Ground Clearance	15 in
Rollover Protection Standard	ROPS
Weight	2970 lbs.
<b>TRANSMISSION</b>	
Type	HST (3 Range)
Gear Shifting	3 Range
Travel Speed	14.9 mph
<b>PTO</b>	
Type	Independent
Speed	540 RPM
3-Point Hitch	Category 1 Position
Lift Capacity	3-Point Lifting Capacity At 24" (1100 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 2200 lbs
	Lift Height: 104"



**MODEL 3026H**






24HP

# PERFECTLY POSITIONED FOR EVEN THE MOST DEMANDING WORK.



The 3026H carries the best of both Sub-Compact and Compact performance and construction features to work on your farm, business or property. The longer frame size, larger tires and higher ground clearance can handle just about any workload you throw at it. The hydrostatic three-range transmission gives you more flexible drive options and the hydraulic system lifts above its weight class against tractors far larger. Features an easy-to-read digital control display and a comfort seat. Plus, you have all the power from the PTO to front loader right at your fingertips, making it the value leader and perfect choice for demanding performance.



SPECIFICATIONS	3026H
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Disc
<b>ENGINE</b>	
Type	3 Cylinder, Water Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Naturally
HP	24
Fuel Capacity	6.08 gal
<b>TIRES</b>	
Front Tread	25x8.5-14
Rear Tread	14-17.5
<b>DIMENSIONS</b>	
Overall Length	110 in
Height with ROPS	91.4 in
Ground Clearance	16.4 in
Rollover Protection Standard	ROPS
Weight	2107 lbs.
<b>TRANSMISSION</b>	
Type	HST (3 Range)
Gear Shifting	3 Range
Travel Speed	14.9 mph
<b>PTO</b>	
Type	Live PTO (6 Spline Shaft)
Speed	540 / 960 RPM Option: 2,500 Mid
3-Point Hitch	Telescopic Stabilizers
Lift Capacity	3-Point Lifting Capacity At 24" (650 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 1433 lbs
	Lift Height: 86"



**MODEL 2024H**



24HP

# A SOLID SUB-COMPACT PERFORMER FOR ANY OPERATION.



Features our built-to-last one piece metal hood with powder coat finish that prevents UV damage to the paint. Unlike fiberglass or plastic, will not crack in cold or under heavy workloads. Heavy-duty ductile cast iron rear housing, transmission and front axle are all built-to-last, and makes the 2024H tractor one of the heaviest in its class. Whether you're working a small hobby farm or raising livestock, this tractor is a perfect fit for any job. The Category 1 three-point hitch makes it quick and easy to attach a variety of hard-working implements.



SPECIFICATIONS	2024H
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Disc
<b>ENGINE</b>	
Type	Vertical, 4-Cycle, Water Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Naturally
HP	24
Fuel Capacity	6.08 gal
<b>TIRES</b>	
Front Tread	23x8.5-12
Rear Tread	12-16.5
<b>DIMENSIONS</b>	
Overall Length	107 in
Height with ROPS	88 in
Ground Clearance	12.7 in
Rollover Protection Standard	ROPS
Weight	1829 lbs.
<b>TRANSMISSION</b>	
Type	HST (2 Range)
Gear Shifting	2 Range
Travel Speed	11 mph
<b>PTO</b>	
Type	Transmission PTO (overrunning clutch)
Speed	540 / 960 RPM Option: 2,500 Mid
3-Point Hitch	Category 1 / Position
Lift Capacity	3-Point Lifting Capacity At 24" (650 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 1314 lbs
	Lift Height: 83"



**MODEL 1025H**



24HP

# VERSATILE SIZE THAT PULLS ITS WEIGHT IN WORK.



A great size, and packing a lot of power for getting work done around any size property. This hard-working model with its Category 1 three-point hitch makes it quick and easy to attach a variety of hard-working implements, from cutters to box blades. Like all Bad Boy Tractors, the 1025H features a durable metal hood and body panels with UV protected powder-paint finish for longer-lasting use. Features hydrostatic drive with separate forward and reverse pedals for simple operation. Three-point hitch and PTO operations are close at hand and ready for work.



SPECIFICATIONS	1025H
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Disc
<b>ENGINE</b>	
Type	Water cooled, 4-cycle Diesel
Combustion System	Indirect Injection
Aspiration	Naturally
HP	24
Fuel Capacity	5.8 gal
<b>TIRES</b>	
Front Tread	23x8.5-12
Rear Tread	12-16.5
<b>DIMENSIONS</b>	
Overall Length	104 in
Height with ROPS	91.3 in
Ground Clearance	9.4 in
Rollover Protection Standard	ROPS
Weight	1610 lbs.
<b>TRANSMISSION</b>	
Type	HST
Gear Shifting	2 Range
Travel Speed	8.8 mph
<b>PTO</b>	
Type	Independent PTO
Speed	540 Rear; 2,000 Mid
3-Point Hitch	Category 1
Lift Capacity	3-Point Lifting Capacity At 24" (499 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 992 lbs
	Lift Height: 75.5"



# MODEL 1022H



Shown with optional backhoe attachment

22HP

# EVEN OUR SMALLEST TRACTOR STILL PACKS A BIG PUNCH.



Shown with optional backhoe attachment

The 1022 Series Tractor can get down and dirty with the best of them. Featured with or without the optional backhoe attachment, the compact, sturdy frame and Four-Wheel drive power provides a versatile machine for getting virtually any job around your worksite, farm or property done. The clean, Tier 4 Certified quiet and powerful diesel engine requires no DPF filter and the hydrostatic power steering makes getting around easy and effortlessly. Features heel to toe pedal controls, easy operator controls and quick release loader bucket for versatile front attachment capability. The seat flips up and back for rear backhoe operation.



SPECIFICATIONS	1022H
Drive System	4 Wheel Drive
Steering	Hydrostatic
Brake	Wet Disc
<b>ENGINE</b>	
Type	Water Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Naturally
HP	21.5
Fuel Capacity	6.6 gal
<b>TIRES</b>	
Front Tread	18x8.5-10
Rear Tread	26X12-12
<b>DIMENSIONS</b>	
Overall Length	94.2 in
Height with ROPS	86.6 in
Ground Clearance	8.3 in
Rollover Protection Standard	ROPS
Weight	847 lbs.
<b>TRANSMISSION</b>	
Type	HST (2 Range)
Gear Shifting	2 Range
Travel Speed	7.8 mph
<b>PTO</b>	
Type	Independent PTO
Speed	540 Rear: 2,500 Mid
3-Point Hitch	Category 1
Lift Capacity	3-Point Lifting Capacity At 24" (499 lbs)
<b>FRONT END LOADER</b>	
	Lift Capacity at Pivot Pin: 617 lbs
	Lift Height: 72.7"



# IMPLEMENTS





# WE MAKE IT EVEN EASIER TO GET RIGHT TO WORK.

Our line of Bad Boy tough three-point hitch and front loader quick attach implements are built for a lifetime of work around the field and farm. Built from heavy-gauge, welded and fabricated steel, they're more than ready to pull their weight around on your property.

Our Rotary Cutters deliver the best value in the industry by making it the perfect match for your hard work—and your tractor. With industry leading standards and build quality second-to-none, the Bad Boy Rotary Cutter performs to the highest standards—and at a price that's even tougher to beat.



4' and 5'  
Standard-Duty Cutters



4', 5' and 6'  
Heavy-Duty Cutters



# IMPLEMENTS

IMPLEMENT SIZES SHOWN ARE COMPATIBLE TO WORK WITH BAD BOY TRACTORS. SEE OUR WEBSITE FOR THE FULL LINE OF BAD BOY IMPLEMENTS.



**FRONT QUICK-ATTACH HAY SPEAR**



**GRAPPLES: 48" • 70"**



**LAND LEVELER/GRADERS: 60" • 72" • 84"**



**ROTARY TILLERS: 48" • 60"**




**BACKHOE OPTIONS**



**QUICK-ATTACH PALLET FORKS**

## FROM FRONT TO BACK, WE'VE GOT YOU COVERED.

Our three-point hitch Box Blades, Land Graders and Rotary Tillers are built from the heaviest-gauge American-made steel and feature industry-leading gearboxes and components for year-in and year out use. Our Quick-Attach front-end Grapple, Hay Spears and Pallet Forks are ready for the heavy lifting and our three-point hitch mounted rear Landscape Rake, Grader Blade Hay Spear and Trailer Mover are built for a lifetime of use around your property.



Landscape Rake




Grader Blade and Landscape Rake both feature pin adjustable easy-angle swivel plates.



3 Spear Hay Fork



Standard Duty Pallet Fork



2 Spear Hay Fork and Trailer Mover

Comes with 2 5/16" Ball



QA Front Hay Spear




Trailer Mover

Comes with 2 5/16" Ball



QA Front Pallet Fork



4' and 5' Disc Harrows



6' and 7' Disc Harrows

## DRIVING A BIGGER VALUE.

We're hauling all the best qualities of Bad Boy's reputation for power, performance, build strength and value into the sub-compact and compact tractor industry. With a tractor size to fit any farm or property, from landscapers to ranchers, Bad Boy Tractors are positioned to be workhorses in the field. And with a complete lineup of implements and attachments, you're all set for work.

**BAD BOY**  
TRACTORS

WORK WITH AN *Attitude*



[www.badboytractors.com](http://www.badboytractors.com)  
102 Industrial Drive • Batesville, AR 72501

Model features and specifications may have changed since publication.  
For the latest information, please visit [www.badboytractors.com](http://www.badboytractors.com) @2022

YOUR EXCLUSIVE DEALER:

